

211s-11 Amijin Cotton Buttoned Tunic



Suggested yarn:

- Pierrot Yarns Amijin Cotton 100 [100% organic cotton; 137 yds/125m per 1.06 oz./30g skein]; color #4 brown, 9 skeins [245g]

Tools/Notions:

- 2.3 (approx. US B) and 2.5mm (approx. US B or C) crochet hooks or sizes necessary to achieve gauge
- 5 coconut-shell buttons (15mm/0.59" diameter)
- 2 buttons (15mm/0.59" diameter)

Finished measurements:

- bust 88.5cm/34.84"
- length 69.5cm/27.36" (excluding shoulder straps)

Gauge (10cm/4" square):

- pattern stitch A (with 2.5mm hook): 27 sts and 11 rows
- pattern stitch A (with 2.3mm hook): 32 sts and 12 rows
- pattern stitch B: 30 sts and 13.5 rows

Gauge may vary according to individual crochet style. Change hook size if necessary to achieve gauge. Alternatively, rework pattern with your own gauge measurements.

Crochet Tips

Body: Chain to create foundation row, and working up from the hem, work back and front as one piece in pattern stitch A. Crochet 33 rows with 2.5mm hook, then change to 2.3mm hook to alter gauge. Continue with yoke (in pattern stitch B), changing hook once again to alter gauge. Work yoke according to schematics.

Shoulder straps: Chain to create foundation row. Work 1 row of double crochet (US) and chain stitches. Work 1 round of edging A around entire outer edge of each strap.


Finishing: Work edging A in the round around perimeter of yoke and body, working buttonholes in right front as you go. Fasten buttons to left front. Whipstitch shoulder straps to front body. Seam shoulder straps to front body; fasten buttons (for adjusting strap length) to wrong side of back body. Use space between stitches as buttonholes on straps.

Abbreviations:


ch = chain

rep = pattern repeat(s)


Front and back body




Edging (2.3mm hook)



Edging A (2.3mm hook)




Buttonholes (2.3mm hook)




※ Depending on where you begin, picot placement may not line up with placement shown in diagrams.

Shoulder straps and back button placement



Shoulder strap (2.3mm hook)



instructions

chart 3




chart 4






chart 5



※ Depending on where you begin, picot placement may not line up with placement shown in diagrams.

Left front yoke



Body/right front yoke

