

213s-05 Ramie 100 Pullover



Suggested yarn:

- Pierrot Yarns Ramie 100 [100% ramie; 109 yds/100m per 1.41 oz./40g skein]; color #2 beige, 13 skeins [485g]

Tools/Notions:

- 3.3mm (approx. US 3), 3.6mm (approx. US 4 or 5), and 3.9mm (approx. US 6) straight knitting needles or sizes necessary to achieve gauge
- 3.0mm (US 2½) double-pointed knitting needles or size necessary to achieve gauge

Finished measurements:

- bust 88cm/34.65"
- cross back width 36cm/14.17"
- length 64cm/25.20"
- sleeve length 42cm/16.54"

Gauge (10cm/4" square):

- pattern stitch A (3.3mm needles): 23 sts and 47 rows
- pattern stitch B (3.3mm needles): 27 sts and 37 rows

Gauge may vary according to individual knitting style. Change needle size if necessary to achieve gauge. Alternatively, rework pattern with your own gauge measurements.

Knitting Tips

Back & front body: Cast on with long-tail cast-on method. Work in pattern stitch A, adjusting gauge by changing needle size when indicated. Work increases, then work in pattern stitch B. Shape armhole and neckline as follows: bind off stitches where indicated and work fully fashioned decreases (1 stitch in from the edge).


Sleeve: Cast on with long-tail cast-on method. Work in pattern stitch A, adjusting gauge by changing needle size when indicated. Shape curve of sleeve cap as follows: when decreasing 2 or more stitches, bind those stitches off. When decreasing 1 stitch, work fully fashioned decreases (1 stitch in from the edge). Bind off in pattern.

Finishing: Seam shoulders with crochet slip stitch seam. Seam sides and sleeve undersides with mattress stitch. Pick up stitches around neckline; work garter stitch in the round, then bind off in pattern. Seam sleeves to body with crochet slip stitch seam.


Abbreviations:

BO = bind off CO = cast on PU = pick up RE = row(s) even #/#/# = rows-stitches-times


Back



Front




Sleeve




Neckline: garter stitch

3.0mm DPNs




Neckline: garter stitch

3.0mm DPNs



Neckline curve instructions


3.0mm DPNs



Pattern stitch B

3.3mm needles

□ = □ knit



= C3F (slip 1 st to cable needle & hold in front; k2, k1 from cable needle)

= C3B (slip 1 st to cable needle & hold in back; k2, k1 from cable needle)

Pattern stitch A

□ = □ knit

