

# 213fw-15 Yuyake Ruffle Cardigan



## Suggested yarn:

- Pierrot Yarns Yuyake no Sora [100% superwash wool; 427 yds/390m per 3.17-3.53 oz./90-100g hank]; color #110 green/purple gradation, 5-6 hanks [490g]

## Tools/Notions:

- 3.0mm (approx. US C or D) crochet hook or size necessary to achieve gauge

## Finished measurements:

- bust 95cm/37.40"
- center back neck-to-cuff 64.5cm/25.39"
- length 55cm/21.65"

## Gauge (10cm/4" square):

- pattern stitch: 29 sts and 17 rows

*Gauge may vary according to individual crochet style. Change hook size if necessary to achieve gauge. Alternatively, rework pattern with your own gauge measurements.*

## Crochet Tips

**Body & front body:** Work foundation chain to begin. Starting from center back, work in pattern stitch. Work up until beginning of armhole (marked on schematic), then work stitches into separate crochet chain worked in advanced for this purpose and continue to right front. Working stitches into bottom loops of foundation chain, work second half of back and then left front.

**Sleeves:** Work foundation chain to begin, then work in pattern stitch.

**Finishing:** Seam shoulders with chain seam (alternating ch and sl st as needed to maintain pattern). Seam sides and sleeve undersides with chain seam. Working into stitches along front edges, work edging A continuous along front edges and hem. Work edging B along neckline. Work edging A' back and forth in joined rounds around sleeve cuffs. Seam sleeves to body with chain seam. Working along neckline and across ends of rows in edging A section, work edging B along neckline.

## Abbreviations:

ch = chain stitch


pm = place marker

sc = single crochet (US)

sl st = slip stitch


# **Body**

★ = 12 rows




## **Start of edging A**

3.0mm hook




## Sleeve




\*Work first round of edging A' for cuff in the same manner as front edge, using same repeats.

Collar




**Edging A'**  
3.0mm hook


3.0mm hook




## Back body



## Sleeve 3.0mm hook



## Right front 3.0mm hook



## Edging A

3.0mm hook

body

\*First row of start of edging A (see page 2) is the same as first round of edging A.

hem edge