

20-21-11 Patchwork Sweater



Suggested yarn:

- Pierrot Yarns Lamé Wool [95% wool, 5% polyester; 179 yds/164m per 3.17 oz./90g hank]; color #901 off-white, 7 hanks [600g]

Tools/Notions:

- 3.9mm (approx. US 6) and 4.5mm (US 7) straight knitting needles or sizes necessary to achieve gauge
- 3.9mm (approx. US 6) circular knitting needle or size necessary to achieve gauge

Finished measurements:

- bust 96cm/37.80"
- cross back width 42cm/16.54"
- back length 62cm/24.41"
- sleeve length 51cm/20.08"

Gauge (10cm/4" square):

- pattern stitch: 23 sts and 25 rows

Gauge may vary according to individual knitting style. Change needle size if necessary to achieve gauge. Alternatively, rework pattern with your own gauge measurements.

Knitting Tips

Body & sleeves: Cast on with long-tail cast-on method and begin to knit, but use wrong side of cast-on edge. Work in pattern stitches A and B according to schematic. Before starting to seam parts together, use a steam iron to block pieces from the wrong side. Thoroughly apply steam, taking care not to flatten the stitches.

Collar: With right sides facing each other, seam shoulders with three-needle bind-off method. Pick up stitches around neckline. Work k2p2 ribbing in the round. Bind off with 2x2 tubular bind-off method.

Finishing: Seam sides and sleeve undersides with mattress stitch. Seam sleeves to body with crochet slip stitch seam.

Abbreviations:

BO = bind off


OH = on hold (that is, place on stitch holder)

PU = pick up


RE = row(s) even

= rows-stitches-times


Back



Front




Sleeve



Collar: k2p2 ribbing

3.9mm DPNs



Pattern stitches A & B

□ = □ knit

