23-4 Lacy Sweater



Suggested yarn:

Pierrot Yarns Sawayaka Lamé 2 [70% acrylic, 16% rayon, 10% linen, 4% polyester; 112 yds/102m per 1.41 oz./40g skein]; color #9386, 9 skeins [350g]

Tools/Notions:

- 3.6mm (approx. US 5) knitting needles or size necessary to achieve gauge
- 2.5mm (approx. US B or C) crochet hook or size necessary to achieve gauge
- 4 buttons (13mm/0.51" diameter)

Finished measurements:

- bust 92cm/36.22"
- · cross back width 35cm/13.78"
- back length 57cm/22.44"
- sleeve length 25cm/9.84"

Gauge (10cm/4" square):

• pattern stitch: 24 sts and 35 rows

Gauge may vary according to individual knitting style. Change needle size if necessary to achieve gauge. Alternatively, rework pattern with your own gauge measurements.

Summary


Body & sleeves: Cast on at hem or cuff, respectively, with long-tail cast-on method. Work body or sleeve in pattern stitch. For back neckline, bind off three stitches at center, then begin working right and left sides separately. Shape front and back sides using fully fashioned increases/decreases (1 stitch in from the edge) as indicated in schematics. Shape armscyes, sleeve caps, and neckline by binding off stitches as indicated and by working decreases at edges. When finished with shoulders, do not bind off; seam shoulders with three-needle bind-off method.


Finishing: Seam sides and sleeve undersides with mattress stitch. Work crochet edging around hem, cuffs, and neckline, respectively. The collar is worked flat. Work buttonholes in right side of back neckline opening. Seam end of lower placket at back neckline to body; seam left side with whipstitch on wrong side. Seam sleeves to body with crochet slip stitch seam.


Abbreviations:

BO = bind off CO = cast on RE = row(s) even #-#-# = rows-stitches-times


Back Front








Buttonholes



Hem edging 2.5mm hook



*For cuff, work final round (6) into round 5. For collar, work an addition repeat, so that you will work final round (8) into round 7.

