218w-03 Openwork Coordinates



Suggested yarn:

- pullover only: Pierrot Yarns Dandy Alice [100% merino wool; 151 yds/138m per 1.41 oz./40g skein]; color #06 queen red, 4 skeins [155g]
- Pierrot Yarns Junmo Chuboso Gradation [50% merino wool, 50% wool; 164 yds/150m per 1.41 oz./40g skein];
 - pullover: color #1701 gray, 6 skeins [210g]
 skirt: color #1701 gray, 10 skeins [370g]

Tools/Notions:

- 3.6mm (approx. US 5), 3.9mm (approx. US 6), and 4.2mm (approx. US 7) knitting needles or sizes necessary to achieve gauge
- 2.5mm (approx. US B or C) and 3.5mm (approx. US E) or sizes necessary to achieve gauge
- elastic for waistband (2.5cm/0.98" wide, 66cm/25.98" long)

Finished measurements:

- pullover:
 - bust 92cm/36.22"
 - center back neck-to-cuff 70.5cm/27.76"
 - back length 49cm/18.11"

- skirt:
- length 49cm/19.29"
- waist 64cm/25.20"
- hips 96cm/37.80"

Gauge (10cm/4" square):

• pattern stitch A (with 4.2mm needles): 21 sts and 28 rows

pattern stitch B: 25 sts & 32 rows

Gauge may vary according to individual knitting style. Change needle size if necessary to achieve gauge. Alternatively, rework pattern with your own gauge measurements.

Summary

❖Note: When using Junmo Chuboso Gradation, work with 2 strands of yarn held together.

Body of pullover (front & back): Cast on with long-tail cast-on method. Work in pattern stitch A, adjusting gauge as you go by changing needle size according to schematics. Seam raglan edges by working decreases at edges.

Sleeve (make 2): Cast on with long-tail cast-on method. Work in pattern stitch B. Seam raglan edges by working decreases at edges.

Pullover finishing: Seam raglan edging with mattress stitch, and graft underarm gusset with Kitchener stitch. For each side of body, seam sides and sleeves from hem to cuff with one continous mattress stitch seam. Pick up stitches around neckline; work collar in the round according to schematic. Bind off. With crochet hook, work sc edging around each cuff.

Skirt: Cast on with long-tail cast-on method. Work in pattern stitch A and reverse st st. Bind off. Make second piece identical to first. Seam together with wrong sides facing each other using mattress stitch.

Waistband: Pick up stitches around bind-off edge. Work waistband in reverse st st in the round. Fold waistband to inside where indicated on schematic. Seam bind-off edge of waistband to bind-off edge of skirt using whipstitch, leaving an opening to insert the elastic. Thread elastic into waistband casing, then sew ends together, overlapping by 2cm/0.79". Whipstitch waistband opening shut.

Hem: With crochet hook, work sc edging in the round. Bind off.

Abbreviations:

BO = bind off CO = cast on

k3tog = knit 3 together


PU = pick up


RE = row(s) even


sc = single crochet (US)


st st = stockinette stitch

#-#-# = rows-stitches-times












Skirt (make 2)

Waistband






How to insert elastic




Skirt hem

2 strands of Junmo Chuboso Gradation



Waistband casing 2 strands of Junmo Chuboso Gradation



Sc hem edging

