24-25-6 Diagonal Stripes Sweater



Suggested yarn:

- Pierrot Yarns Super Kid Mohair [75% mohair, 25% nylon; 306 yds/280m per 0.88 oz./25g skein]; color #5801 off-white, 6 skeins [130g]
- Pierrot Yarns Silk Cashmere Fingering [50% wool, 35% silk, 15% cashmere; 492 yds/450m per 3.53 oz./100g hank]; color #1702 off-white, 3 hanks [230g]

Tools/Notions:

- 4.2mm (approx. US 6) straight knitting needles or size necessary to achieve gauge
- 4.2mm (approx. US 6), 4.5mm (US 7), and 4.8mm (approx. US 8) double-pointed or circular needles or sizes necessary to achieve gauge

Finished measurements:

- bust 92cm/36.2"
- · cross back width 36cm/14.2"
- back length 56cm/22.0"
- sleeve length 54cm/21.3"

Gauge (10cm/4" square):

• pattern stitch: 22 sts and 30 rows

Gauge may vary according to individual knitting style. Change needle size if necessary to achieve gauge. Alternatively, rework pattern with your own gauge measurements.

Summary

*Note: entire garment worked with 2 strands of yarn held together (1 strand of Super Kid Mohair and 1 strand of Cashmere Silk Fingering).

Body (back & front): Cast on with long-tail cast-on method. Work in garter stitch and pattern stitch according to schematics and stitch chart. Seam armscye and neckline by binding off stitches as indicated and by working decreases at edges. Shape shoulders with short rows, leaving remaining shoulder stitches on stitch holders.

Sleeve (make 2): Cast on as for body. Shape sides of sleeves with lifted increase worked at edges. Shape sleeve cap by working decreases at edges. Bind off.

Finishing: Seam shoulders with three-needle bind-off method. Pick up stitches around neckline; work collar in pattern stitch in the round. Change needle size where indicated to alter the gauge. Purl last round, then bind off. Seam sleeves to body with crochet slip stitch seam.

Abbreviations:

BO = bind off


CO = cast on


PU = pick up

RE = row(s) even

#-#-# = rows-stitches-times

Back Front





Collar: pattern stitch

*Alter gauge by changing needle size where indicated.

